

[PRIMARY PACK LABEL]

MAIN PANEL**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

# Maxforce<sup>®</sup> Gold

## Gel Insecticide

Active Constituent: 0.3 g/kg FIPRONIL

GROUP	<b>2C</b>	INSECTICIDE
-------	-----------	-------------

* Net
-------

A gel bait for the treatment of cockroach infestations. The dispenser must not be sold separately. Do not destroy outer pack while product remains.


5, 7.5, 10, 12.5, 15, 20, 30 or 35 g Net

(label code)



ANCILLARY PANEL**DIRECTIONS FOR USE:**

DO NOT place in areas that are routinely washed.

SITUATION	PEST	RATE	CRITICAL COMMENTS
Domestic, Commercial and Public Service buildings including; farm buildings, food processing establishments, factories, hospitals, homes, kitchens, offices, restaurants, retail outlets, store-rooms, vehicles and other situations which fall within these definitions.	German and other common cockroaches.	Apply at least 2 spots per m <sup>2</sup> . Increasing the number of spots (up to 5/m <sup>2</sup> ) may be required for heavy infestations or if the American cockroach is the main pest.  Recommended spot size is approximately 5 mm diameter (0.1 g) or the size of the spot indicated below  	Conduct a thorough inspection of the premises and then place gel in areas near cockroach harbourages or in sheltered areas where signs of cockroaches are evident.  Replenish gel if previous application has been consumed and cockroaches remain a problem; increasing number of spots if necessary.

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**GENERAL INSTRUCTIONS:** To apply the gel, remove the cap on the nozzle and touch the tip to the surface to be treated and slowly depress plunger until sufficient gel is dispensed. Recap the dispenser after treatment is completed.

Where maintenance treatments form part of the professional pest controllers contract it is recommended that cockroach activity be monitored where gel has been applied one month after initial treatment or at more regular intervals in areas of high infestation.

**PROTECTION OF LIVESTOCK, WILDLIFE, AND OTHERS:** DO NOT contaminate streams, rivers or waterways with the chemical or used containers. DO NOT apply this product in any areas easily accessible to children or animals.

**STORAGE AND DISPOSAL:** Store in the closed, original container in a cool, well ventilated locked place out of the reach of children. Do not store in direct sunlight and do not store at temperatures exceeding 35°C. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in the garbage.

**SAFETY DIRECTIONS:** May irritate the eyes and skin. Avoid contact with eyes and skin. Wash hands after use.

**MATERIAL SAFETY DATA SHEET:**

Additional information is listed in the Material Safety Data Sheet.

ANCILLARY PANEL**INSECTICIDE RESISTANCE WARNING:**

<b>GROUP</b>	<b>2C</b>	<b>INSECTICIDE</b>
--------------	-----------	--------------------

For insecticide resistance management Maxforce Gold Gel is a Group 2C insecticide. Some naturally occurring insect biotypes resistant to Maxforce Gold Gel and other Group 2C insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Maxforce Gold Gel or other Group 2C insecticides are used repeatedly. The effectiveness of Maxforce Gold Gel on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, Bayer CropScience accepts no liability for any losses that may result from the failure of this product to control resistant insects. Maxforce Gold Gel Insecticide may be subject to specific resistance management strategies. For further information contact your local supplier or Bayer CropScience representative.

**EXCLUSION OF LIABILITY**

This product as supplied is of a high grade and suitable for the purpose for which it is expressly intended and must be used in accordance with the directions. The user must monitor the performance of any product as climatic, geographical or biological variables and/or developed resistance may affect the results obtained. No responsibility is accepted in respect of this product, save for those non-excludable conditions implied by the Trade Practices Act or any State or Federal legislation.

Maxforce® is a registered trademark of Bayer.  
NRA Approval No.: 55553/0802

<b>FOR 24 HOUR SPECIALIST ADVICE IN EMERGENCY ONLY: PHONE 1800 033 111</b>
--

Bayer Environmental Science  
Bayer CropScience Pty Ltd  
A.B.N. 87 000 226 022  
391-393 Tooronga Rd  
East Hawthorn Vic. 3123  
Phone: (03) 9248 6888  
Fax: (03) 9248 6800  
Website: [www.bayercropscience.com.au](http://www.bayercropscience.com.au)

BAR CODE
----------

BATCH NO:  
DATE OF MANUFACTURE

[DISPENSER LABEL]

---

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

# Maxforce<sup>®</sup> Gold

## Gel Insecticide

---

Active Constituent: 0.3 g/kg FIPRONIL

\*

Net

A gel bait for the treatment of cockroach infestations.

Before using this product, read all the directions on the outer pack. This dispenser must not be sold separately. Do not destroy outer pack while product remains.



\* 5, 7.5, 10, 12.5, 15, 20, 30 or 35 g Net

(label code)

**[DISPENSER LABEL] (contd)**

---

**STORAGE AND DISPOSAL:** Store in the closed, original container in a cool, well ventilated locked place out of the reach of children. Do not store in direct sunlight and do not store at temperatures exceeding 35°C. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in the garbage.

**SAFETY DIRECTIONS:** May irritate the eyes and skin. Avoid contact with eyes and skin. Wash hands after use.

NRA Approval No.: 55553/0802

Bayer Environmental Science  
Bayer CropScience Pty Ltd  
A.B.N. 87 000 226 022  
391-393 Tooronga Rd  
East Hawthorn Vic. 3123  
Phone: (03) 9248 6888  
Fax: (03) 9248 6800  
Website: [www.bayercropscience.com.au](http://www.bayercropscience.com.au)